

### Secure Drum/IBC Store - WDP16-4

Backed by our 20 year structural guarantee\*

The base of this bunded store is manufactured from 3mm mild steel sheet with RHS cross members and pressed ribs. The corner posts, shelf frames and main rails are all made from rolled hollow section. The back, sides and doors are pressed from 2mm mild steel sheet (corrugated as required for additional strength) while the roof is pressed with suitable bracing. The store is welded around the perimeter (sump fully seam welded), fitted with crane lifting points (maximum 2000 kilos per lift point), double sliding doors and the unit is shot blasted before being painted.

\*Details available on request



<b>Size</b>	3000mm L x 1500mm W x 3295mm H at highest point
<b>N° of containers</b>	16 x 205ltr or 4 x 1000ltr
<b>Sump capacity</b>	1125ltr
<b>Shelf space</b>	1350mm
<b>Colour</b>	Green RAL 6029
<b>Tare weight</b>	1160kg

Note: The “floor” area above the sump is covered with galvanised steel channel sections so that loose drums or pallets can be stored directly on to it, while the upper shelf is an open, box section construction designed to support pallets. Grid mesh shelving is available for the upper shelf as a chargeable option for those who wish to have it fitted with a full “floor”. Please contact us for further information.

**Secure Drum/IBC Store - WDP48-12**

Backed by our 20 year structural guarantee\*

The base of this bunded store is manufactured from 3mm mild steel sheet with RHS cross members and pressed ribs. The corner posts, shelf frames and main rails are all made from rolled hollow section. The back, sides and door are pressed from 2mm mild steel sheet (corrugated as required for additional strength) while the roof is pressed with suitable bracing). The store is welded around the perimeter (sump fully seam welded) and fitted with crane lifting points (maximum 2000 kilos per lift point), while the triple steel sliding doors on each side are mounted on an easy glide track and the unit is shot blasted before being painted.

\*Details available on request



<b>Size</b>	8840mm L x 1500mm W x 3295mm H at highest point
<b>N° of containers</b>	48 x 205ltr or 12 x 1000ltr
<b>Sump capacity</b>	3300ltr
<b>Shelf space</b>	1350mm
<b>Colour</b>	Green RAL 6029
<b>Tare weight</b>	2800kg

Note: The “floor” area above the sump in the drum store areas are covered with galvanised steel channel sections so that loose drums or pallets can be stored directly on to them, while the upper shelf is an open, box section construction designed to support pallets. Grid mesh shelving is available for the upper shelf as a chargeable option for those who wish to have it fitted with a full “floor”. Please contact us for further information.

**Secure Drum/IBC Store - DPU32-8**

Backed by our 20 year structural guarantee\*

The base of this bunded store is manufactured from 3mm mild steel sheet with RHS cross members and pressed ribs. The corner posts, shelf frames and main rails are all made from rolled hollow section. The back, sides and door are pressed from 2mm mild steel sheet (corrugated as required for additional strength) while the roof is pressed with suitable bracing). The store is welded around the perimeter (sump fully seam welded), fitted with crane lifting points (maximum 2000 kilos per lift point), double sliding doors and the unit is shot blasted before being painted.

\*Details available on request



<b>Size</b>	5920mm L x 1500mm W x 3295mm H at highest point
<b>N° of containers</b>	32 x 205ltr or 8 x 1000ltr
<b>Sump capacity</b>	2200ltr
<b>Shelf space</b>	1350mm
<b>Colour</b>	Green RAL 6029
<b>Tare weight</b>	1970kg

Note: The “floor” area above the sump in the drum store areas are covered with galvanised steel channel sections so that loose drums or pallets can be stored directly on to them, while the upper shelf is an open, box section construction designed to support pallets. Grid mesh shelving is available for the upper shelf as a chargeable option for those who wish to have it fitted with a full “floor”. Please contact us for further information.

### Secure Drum/IBC Store - WDP64-16

Backed by our 20 year structural guarantee\*

The base of this bunded store is manufactured from 3mm mild steel sheet with RHS cross members and pressed ribs. The corner posts, shelf frames and main rails are all made from rolled hollow section. The back, sides and door are pressed from 2mm mild steel sheet (corrugated as required for additional strength) while the roof is pressed with suitable bracing. The store is welded around the perimeter (sump fully seam welded), fitted with crane lifting points (maximum 2000 kilos per lift point), has double sliding doors mounted on easy glide track fitted on both sides and the unit is shot blasted before being painted.

\*Details available on request



<b>Size</b>	L5920 x W2800 x H3330mm at the highest point on the unit
<b>N° of containers</b>	Sixty-four 205ltr drums or sixteen 1000 litre IBCs
<b>Sump capacity</b>	4100ltr
<b>Shelf space</b>	1350mm
<b>Colour</b>	Green RAL 6029
<b>Tare weight</b>	3100kg

Note: The “floor” area above the sump in the drum store areas are covered with galvanised steel channel sections so that loose drums or pallets can be stored directly on to them, while the upper shelf is an open, box section construction designed to support pallets. Grid mesh shelving is available for the upper shelf as a chargeable option for those who wish to have it fitted with a full “floor”. Please contact us for further information.

### Secure Drum/IBC Store - WDP96-24

Backed by our 20 year structural guarantee\*

The base of this bunded store is manufactured from 3mm mild steel sheet with RHS cross members and pressed ribs. The corner posts, shelf frames and main rails are all made from rolled hollow section. The back, sides and door are pressed from 2mm mild steel sheet (corrugated as required for additional strength) while the roof is pressed with suitable bracing.

The store is welded around the perimeter (sump fully seam welded) and fitted with crane lifting points (maximum 2000 kilos per lift point), while the triple steel sliding doors on each side are mounted on easy glide tracks and the unit is shot blasted before being painted.

\*Details available on request



<b>Size</b>	8840mm L x 2800mm W x 3330mm H at the highest point
<b>N° of containers</b>	96 x 205ltr or 24 x 1000ltr
<b>Sump capacity</b>	6100ltr
<b>Shelf space</b>	1350mm
<b>Colour</b>	Green RAL 6029
<b>Tare weight</b>	4100kg

Note: The “floor” area above the sump is covered with galvanised steel channel sections so that loose drums or pallets can be stored directly on to it, while the upper shelf is an open, box section construction designed to support pallets. Grid mesh shelving is available for the upper shelf as a chargeable option for those who wish to have it fitted with a full “floor”. Please contact us for further information.